The most competitive extrusion tooling manufacturer in the world -----TRINITY! (Since 1985)



www.chinatrinity.com



Annual output: 1000 sets of PVC extrusion tooling





Brief



Tongling Zonfa Trinity occupies 140 thousand square meters land and has a stuff of 1700 people and total asset of 800 million RMB. A new factory which occupies 700 acres of land (one acres equals with 660 square meters) is under constructing now.





Manufacture Workshop



Worldwide Top Classic CNC Manufacture Center







- RODERS high speed milling Machine (Germany)
- CHRMILLES wire cutter (Switzerland)
- SODICK wire cutters (Japan)20
- Other EDM machinery (made in China)60
- CNC producing machinery (British/TW)
- steel hardness treatment equipment 10
- Mitutoyo CMM Machine (Japan)
- Extruder Hone (USA)
- Extruders for Tuning



High Speed Milling Machine RHODES


















Quality control: Inspection instruments: CMM Machine





Mitutoyo (CMM) machine: control tooling channel dimensions







5 X QC projector



Mitutoyo Projector:

Zoom Five times for measure extrusion profile





















TRINITY Extruders




Extruder type	Max output (kg/h)	SCREW TYPE	
KMD90-26	480	PARALLER	
WEBER DS11	520	PARALLER	
CINCINNATI TITAN 58	260	CONICAL	
THEYSHON 88	320	PARALLER	
CINCINNATI ARGOS 112	500	PARALLER	
CINCINNATI ARGOS 93	380	PARALLER	
JWELL 65-132	190	CONICAL	

All above extruders are used for tooling testing before delivery.












Tooling Structure: I.Die part






- 1. Mirror Channel surface for sure extrusion smooth flow.
- 2. All die plates have pin and bushing design for plate alignment to each other.
- 3. All die plates have straight pin for quick assembling.
- 4. Six sides benchmark easy for repair works.
- 5. Marked tooling ID and plate number.

4




Tooling Structure: I.Die part













Tooling Structure:


II. Dry calibrator

(5)

4



- 1. Channel inside size designed according to PVC shrinkage rule.
- 2. Patent structure for easy disassembling.
- 3. Individually Vacuum for every section of calibrator; for sure profile tough cal channel tightly.
- 4. Front side plate absorb wax in producing for prolong tooling using time.
- 5. Fine seal for sure enough vacuum and extrusion shape stable.
- 6. Steel base and cover for sure long-life in using.
- 7. Key and pocket for sure plates fit each other well.



Tooling Structure: II. Dry calibrator



Every section length:

200mm;250mm;300mm








Special requests according to customer.









Vacuum water tank


• Material: PMMA & fiber glass;


(5)

(4)









- 1. Fast cooling down in swirl method.
- 2. High Vacuum -0.02
- 3. Lock automatic
- 4. Square key fix the tank plate position
- 5. Solid carbon steel insert changeable. (according to customer's requests.)





Other related production




Online punching hole machine



Hold distance can be modified









Different style tooling



Double strand tooling



Movable post co-extrusion








Bee comb inside Surface embossment co-ex



Co-extrusion technology



WPC-PVC full capstock










24-strand extrusion



Profile wall thickness 0.4~0.6mm;









Window sill tooling (maximum 900mm)





Die support cart






Window Sill and panel Tooling











Downstream Equipment





Ukraine, Russia, Poland, USA, etc.







Our engineers in Global Customer's Factory











Austria expert support Trinity technology





Austria expert was guiding for Extrusion tooling designing and tuning

Austria expert suggestion for Trinity downstream equipment





Trinity Talent





Qualified designers	<u>44</u>
Sales	<u>20</u>
Tuner and engineer	<u>50</u>
Total Tooling part Employee	486



Hornors



ERP Information Management System

National CAD Application Model Enterprise

Key Industrial Enterprise in Anhui Province

Chinese Youth Technology Creation Demonstration

Electronic Material Industry
Base Key Industrial Enterprise

ISO9001:2000 Quality Control System

National Torch Plan Key high-tech enterprises













国家高技术产业化





International Communication

---- Customers visiting























Reference Customer of Trinity
































































Layout & Market Capacity in China





中国
-- 单位数量(家)
55
27.5
= 5.5

制作: 汪端祥



Where we have exported to ...







➤ Germany



> France



(Ú)

> Poland



➤ U.K.



Hungary



Bulgaria



> Turkey



Vietnam



> Russia



Belgium



➤ Ukraine



Canada



> Thailand



> USA



> Chile



> S. Africa



> Japan



Egypt



> Ecuador



Kazakstan



> S. Korea



> Tajikstan



> Greece



Azerbaijan



> Brasil



➤ U.A.E











Thank you!

2015

